

**Notice of Allowability**

Application No.

10/676,932

Examiner

Amy J. Sterling

Applicant(s)

OBERHAUS, FRED D.

Art Unit

3632

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 1/7/05.
2. ☒ The allowed claim(s) is/are 3,6 and 8-11.
3. ☒ The drawings filed on 01 October 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All b) ☐ Some\* c) ☐ None of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
  - \* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

***Notice of Allowance***

This is the Notice of Allowance for application number 10/676,932 Symmetrically Designed Snap-On Shelf, filed on 10/1/03. Claims 3, 6 and 8-11 are allowed.

***Reasons for Allowance***

The following is an examiner's statement of reasons for allowance:

The prior art of record does not teach a shelf bracket which has a front edge and a back edge both with clearance slots, the slots being arranged one above the other and being a distance apart so as to accommodate a wire shelf which has a pair of vertically aligned longitudinal rods at both the front and back edge, the wire shelf being symmetrical so that the shelf may be installed with either the front or back rods facing outward in combination with a vertically extending faceplate and a forwardly extending shelf supporting surface and a reinforcing structure extending between the shelf supporting surface and the base plate.

***Conclusion***

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Any inquiry concerning this communication should be directed to Amy J. Sterling at telephone number 703-308-3271. The examiner can normally be reached

Art Unit: 3632

(M-F 8 a.m.-5:00 p.m.). If attempts to reach the examiner are unsuccessful, the examiner's supervisor, Leslie Braun can be reached at 703-308-2156. The fax machine number for the Technology center is 703-872-9306 (formal amendments) or 703-308-3519 (informal amendments/communications). Any inquiry of a general nature or relating to the status of this application should be directed to the Technology Center receptionist at 703-308-2168.

  
AJS

Amy J. Sterling  
1/28/05

  
RAMON O. RAMIREZ  
PRIMARY EXAMINER